

Approval: QA Manager:

Jedediah Goold

Approval: President:

Dan BarnardRevision Date Approved 01/10/2024

1.0	Scope
2.0	Access
3.0	Quality System Requirements
4.0	Policy Against Human Trafficking
5.0	Configuration Management
6.0	Subcontracting
7.0	Counterfeit Part Prevention
8.0	Designs, Tools, Dies, Customer Provided Material, etc.
9.0	Raw Material
10.0	Critical Components
11.0	Digital Product Definition (DPD)
12.0	Calibration Requirements
13.0	Part Mark
14.0	Foreign Object Damage Control
15.0	Acceptance
16.0	Nonconforming Material
17.0	Disposition Authority
18.0	Supplier Corrective Action
19.0	Notice of Escapement (NOE)
20.0	Certificate of Conformance (C of C)
21.0	First Article Inspection
22.0	Source Inspection
23.0	Packaging & Delivery Documentation
24.0	Records
25.0	Customer & Program Specific Requirements

1.0 Scope

- 1.1 This Supplier Quality Requirements Manual (SQRM) constitutes an extension to the contract between the Supplier and B&B Airparts INC., or one of its subsidiaries, covering the items (Products) as described in the Purchase Order. Supplier's acceptance of the Purchase Order (PO) shall constitute Supplier's agreement to the requirements in this document. In the event of any inconsistencies between the Purchase Order and the requirements set forth below, the terms and conditions of the Purchase Order shall take precedence.
- 1.2 B&B's Terms and Conditions can be reviewed by the Supplier at the website <http://www.bbairparts.com/> under the "Terms and conditions" tab or requested from the Purchasing agent representative.

2.0 Access

- 2.1 Supplier shall grant B&B (or customers of B&B or any governmental regulatory agencies) access to Supplier's premises or manufacturing facilities. This includes the freedom to witness and audit all phases of fabrication, testing, storage or goods sold to B&B, pertinent documents and records related to the contract, subject to any limitations or controls required to ensure compliance to ITAR/EAR US Governmental regulations. B&B will provide advance notice to the Supplier (typically 48 hours minimum).

3.0 Quality System Requirements

3.1 To be set up as a B&B Supplier, the Supplier shall complete the B&B Supplier Approval Questionnaire, form QAF 8.4-1, or an equivalent, and provide any other requested documentation. All of the documentation will be submitted to the B&B Purchasing agent, for Supplier Quality review.

3.2 Per AS9100 Section 8.4.3, the Supplier shall place emphasis on the need to:

- implement a quality management system (which meets or exceeds the requirements as shown in Table 1);
- use customer designated or approved external providers,
- including process sources (e.g., special processes); notify B&B of nonconforming processes, products, or services and obtain approval for their disposition; prevent the use of counterfeit parts (see AS9100 Section 8.1.4);
- notify B&B of changes to processes, products, or services, including changes of their external providers or location of manufacture, and obtain the organization's approval;
- flow down to external providers applicable requirements, including B&B and customer requirements;
- provide test specimens for design approval, inspection/verification, investigation, or auditing;
- retain documented information, including retention periods and disposition requirements;
- grant the right of access to B&B, their customer, and regulatory authorities to the applicable areas of facilities and to applicable documented information, at any level of the supply chain;
- ensure that persons are aware of:
 - their contribution to product or service conformity;
 - their contribution to product safety;
 - the importance of ethical behavior.

3.3 B&B may choose to use a Supplier that may not meet the minimum requirements, based on business needs as long as it does not conflict with the customer requirements.

3.4 When industry specifications are noted in Table 1, B&B requires 3rd Party certifications. Suppliers shall make available a copy of their certifications to B&B. Any changes to the certifications such as a change of registrar, update, withdrawal, or disapproval must also be forwarded to B&B immediately.

3.5 Supplier shall notify the B&B purchasing agent and B&B Supplier Quality Manager in writing within 48 hours of any changes of status to its Quality Management System, relocation, or changes in top management including the Quality Management Representative.

3.6 Supplier shall maintain satisfactory performance to remain on B&B's approved supplier list (ASL). Supplier Performance Standards B&B Supplier Supplier's performance will be reviewed on a Quarterly basis. Suppliers not meeting performance standards may be subject to any of the following, as determined by subsequent review/evaluation:

- Initiation of a Supplier Corrective/preventative Action Request (SCAR)
- An on-site audit at the Supplier's facility

Table 1

	Quality System Level	Applicable Minimum Quality System Document	Supplier Description
Manufacturers	Subcontract	AS9100, EN9100, or JISQ9100	Manufacturer with design authority (Major Assemblies, Sources/Spec. Control Product); Engineering Services with design/release authority; Manufacturer (Build-to-Print)
	Partial Subcontract	AS9100, EN9100, or JISQ9100, ISO9001, or Internal QMS	Manufacturer only performing specific operations on material provided by B&B (Machining, Waterjet, etc.)
	Processors	NADCAP AC7004 or AS9100 Special Processes must be approved by B&B's customer and/or NADCAP	Processor
	Raw Material Manufacturer	AS9100 or as defined by the customer	Raw Material Manufacturers
	Raw Material and Hardware Distributor	AS9120, AS9100, or ISO9001	Distributors
Tooling	Production Tooling	AS9100 or ISO9001	Tooling with design authority/ Tooling (build-to-print), directly relates to product conformity.
	Support Equipment	N/A	Tooling that does not affect product conformity
Other	Quality Services	ISO17025 or ANSI Z540 for calibration; Internal QMS for (inspection services)	Calibration/Inspection Services, etc. (e.g. CMM)
	Chemical/Material Testing	ISO10012, ISO17025, ANSI Z540, and NADCAP (as applicable)	Laboratories
	Chemical, Paint, Solution, and Instrument Distributor	Internal QMS	Distributors

4.0 Policy Against Human Trafficking

4.1 B&B Airparts, Inc. will not tolerate and will not condone the use of slavery, forced, involuntary or coerced labor, child labor, human trafficking or sex trafficking by any associate, agent, subcontractor or supplier in the operation or support of our business or the sales and distribution of our products. To that end, B&B Airparts shall, and shall require that its associates, agents, contractor/vendors, subcontractors, and suppliers:

- Not engage in any form of human trafficking, whether by force, fraud, or coercion; or any form of involuntary servitude, peonage, debt bondage or slavery; or any form of sex trafficking or the procurement of any commercial sex act;
- Not knowingly use any form of forced or involuntary labor, including through the use of (a) threats of serious harm to, or physical restraint against, a person or another person; (b) any scheme, plan, or pattern intended to cause a person to believe that, if the person did not perform such labor or services, that the person or another person would suffer serious harm or physical restraint; or (c) any abuse or threatened abuse of law or the legal process;
- Not engage in, or support the use of child labor and shall comply with all applicable local child labor laws;
- Not destroy, conceal, confiscate, or otherwise deny access by an employee to the employee's identity or immigration documents, such as passports or drivers' licenses;
- Not use misleading or fraudulent practices during the recruitment of employees or offering of employment, and shall endeavor to the extent possible to disclose to employees, in a format and language accessible to the employee, the basic information regarding the key terms and conditions of employment, including wages and fringe benefits, the location of work, the living conditions, housing and associated costs (if provided or arranged by B&B Airparts or its agents), any significant cost to be charged to the employee, and, if applicable, the hazardous nature of the work. If required by law or contract, provide an employment contract, recruitment agreement, or other required work document in writing, which shall be in a language the employee understands;
- Comply with all applicable local wages, benefit, and working hours labor laws;
- Not charge employee recruitment fees and shall not use recruiters that do not comply with local labor laws of the country in which the recruiting takes place;
- Provide return transportation or pay for the cost of return transportation upon the end of employment for employees who are not nationals of the country where they are working if the employee is brought to that country for purposes of working on U.S. government contract;
- If B&B Airparts, Inc. or a B&B supplier provides or arranges housing for employees, the housing shall meet the host country's housing and safety standards.

4.2 B&B Airparts, Inc has a zero-tolerance policy regarding any of its associates, agents, contractors/vendors, subcontractors, or suppliers (or their employees) who engage in or support the use of slavery, forced, involuntary or coerced labor, child labor, human trafficking, or sex trafficking. Failure to comply with this Policy will result in disciplinary action up to or including termination of employment. If any agent, contractor/vendor, subcontractor, or supplier is found in violation of this policy, B&B Airparts will take prompt, remedial measures to address the violation, up to and including termination of the relationship with B&B Airparts.

5.0 Configuration Management

- 5.1** Supplier shall comply with specifications stated on the face of the Purchase Order and with applicable engineering drawings, including industry, association, society, regulatory and United States Government specifications and standards. Any questions regarding requirements should be directed to the B&B Purchasing agent.
- 5.2** Supplier shall notify the Purchasing agent if any engineering revision levels received conflict with the revision levels on the Purchase Order.
- 5.3** These documents shall be controlled, maintained and issued as the latest revision in effect at the time of the Purchase Order unless otherwise stated.
- 5.4** Supplier shall maintain a change control management and verification system for documents and electronic media, including applicable government, association, society, industry and customer furnished configuration data.

6.0 Subcontracting

- 6.1** Supplier shall not enter into a subcontract for the procurement of any goods, in their complete or substantially complete form, without prior written consent of the B&B Purchasing agent.
- 6.2 Control of Sub-Tiers**
- No material substitutions, omissions or modifications will be allowed without prior written consent of the B&B Purchasing agent.
 - The Supplier will assure that all material, services, and software procured from, or performed at sub-tier Suppliers is in conformance to contractual requirements and specifications.
 - The Supplier will ensure that all such requirements/specifications are flowed down to their sub-tier suppliers.
 - All special processes must be performed by processors approved by B&B's customer (refer to Addendum A of this document for customer specific reference). Any questions regarding special process approvals should be directed to B&B through the B&B Purchasing agent.

7.0 Counterfeit Part Prevention

- 7.1** The Supplier shall have a counterfeit detection process for all electrical, electronic, electro-mechanical and electro-optical component parts that meets the intent of SAE standard AS5553, Counterfeit Electronic Parts, Avoidance, Detection, Mitigation, and Disposition.
- 7.2** The Supplier shall have a counterfeit detection process for all non-electrical standard parts, like fasteners, nuts, washers, springs, O-rings, inserts, and pins that meets the intent of SAE standard AS6174, Counterfeit Material; Assuring Acquisition of Authentic and Conforming Material.
- 7.3** For all non-electrical standard parts, like fasteners, nuts, washers, springs, O-rings, inserts, and pins, the supplier must have a certificate from the Original Component Manufacturer (OCM)/ Original Equipment Manufacturer (OEM) or Authorized Aftermarket Manufacturer (AAM) or authorized distributor.
- 7.4** Confirmed counterfeit parts will be reported to the Government Industry Data Exchange Program (GIDEP) and applicable US Government investigative authorities.

8.0 Designs, Tools, Dies, Customer Provided Material, Etc.

- 8.1** If the goods are to be produced by the Supplier in accordance with designs, drawings, blueprints, mylars, tooling or fixtures furnished by B&B, the Supplier shall return the same to B&B at B&B's request upon completion or cancellation of this Purchase Order.
- 8.2** Such designs shall not be used by Supplier in the production of materials for any third party without B&B's written consent. Such designs involve valuable property rights and proprietary information and shall be held confidential by Supplier.
- 8.3** Unless otherwise agreed herein, the Supplier shall supply all materials, equipment, tools and facilities required to perform the requirements of the Purchase Order at its cost.
- 8.4** B&B furnished and/or owned property condition shall be identified, maintained and inspected regularly for suitability of use. Supplier shall notify B&B immediately if the property is lost, stolen, or unfit for use for any reason. B&B makes no warranties of any nature with respect to any property or data it may furnish to Supplier hereunder.
- 8.5** Property furnished by B&B shall be used solely in the performance of work ordered by B&B or the Government, if the Government has title or rights in the property.
- 8.6** Property shall be subject at all times to disposition as B&B may direct. Supplier shall maintain inventory control of all such tooling and property and to furnish inventories thereof when required by B&B.
- 8.7** Unless otherwise specified, Supplier shall be liable for any loss or destruction or damage to property furnished to Supplier by B&B. Supplier shall be responsible for returning property in a suitable for use condition as when received at a time specified in accordance with the provisions of the Purchase Order. Supplier shall notify B&B prior to destruction of any furnished materials, or equipment.

9.0 Raw Material

- 9.1** The Supplier is required to verify the correct material type, and temper (where applicable), to engineering prior to fabrication of product. Evidence of verification shall be on the Supplier's shop traveler, work order, planning, or other inspection status (including FAI) documentation.
- 9.2** It is B&B's policy to not purchase conflict minerals, materials, or products using metals made from conflict minerals. B&B requires that its Suppliers and their suppliers acquire minerals only from responsible sources. Supplier represents and warrants that it and its supply chain are currently in compliance, and covenants that it and its supply chain shall continue to comply with existing and future laws relating to conflict minerals as defined by the Dodd-Frank Wall Street Reform Act. Supplier shall be responsible for, and shall release, defend, indemnify, and hold B&B harmless from and against any liability of any kind or nature resulting from the breach of this representation and warranty and covenant.

10.0 Critical Components

- 10.1** Parts designated as Fracture Critical, Fatigue Critical, Durability Critical, or Maintenance Critical by the Purchase Order, B&B/Customer/OEM engineering or specifications, require the submittal of the Supplier's manufacturing plan 30 days prior to start of production.
- 10.2** Upon approval of the Supplier's manufacturing plan, the Supplier shall control all processes as stated in the plan.
- 10.3** No deviation from the approved plan is permitted without written approval from B&B and/or B&B's customer, through the B&B Purchasing agent.

11.0 Digital Product Definition (DPD)

11.1 When B&B, or B&B's Customer, provides electronic engineering definition of the product, the Supplier shall have a documented procedure for:

- Verifying the integrity of the file transfer
- A system for storing and maintaining the file
- A system for the security (limited access) of a file
- A system for change verification and notification
- Full traceability of all derivative data back to the original Customer provided definition.
- When models are provided by B&B, along with other configuration control documents (engineering drawings, specifications, condition of supply...etc.), the Supplier is to ensure that all documents have been properly reviewed prior to production. This includes the evaluation of all imbedded notes in the engineering model. Any conflict between these documents and files shall be brought to the attention of B&B, through the B&B Purchasing agent for resolution.

11.2 See Section 24 of the SQRM for information regarding First Article Inspection for a reduced dimension drawing or model-based definition.

12.0 Calibration Requirements

12.1 Calibration Control:

- The supplier shall control the Calibration of all Measuring and Test Equipment (M&TE) against Certified Measurement Standards, traceable to the NIST.

11.2 Calibration Suppliers:

- Calibration Suppliers must comply with ANSI Z540, ISO 17025, or ISO 10012.
- Measurement standards used for calibration or verification shall be traceable to international (SI) or national measurement standards and be supported by certification.
- Where no such standards exist, the basis for calibration will be defined and documented.

13.0 Part Mark

13.1 When part mark requirement is provided by the customer's direction, drawings, specifications or Purchase Order, the following shall also be applied below those part mark requirements:

- The manufacturing dates.
- The Supplier's name or cage code for traceable to the Supplier
- The unique number used by the Supplier to provide traceability of their quality records (i.e., Serial Number, Lot Number, Control Number, or Work Order/Traveler Number) NOTE: Manufacturing Date is not considered as a unique number, for traceability.
- B&B non-conformance document number (when applicable)

13.2 When a part mark requirement or customer direction is not provided by the drawings, specifications or Purchase Order, the part mark shall be applied in accordance with MIL-STD-130 or its equivalent, and shall also include the following items:

- The manufacturing dates.
- The Supplier's name or cage code traceable to the supplier
- The unique number used by the Supplier to provide traceability of their quality records (i.e., Serial Number, Lot Number, Control Number, or Work Order/Traveler Number)

14.0 Foreign Object Damage Control

14.1 The Supplier will ensure that product delivered to B&B is controlled in a manner that will prevent FOD from being introduced into the final product.

15.0 Acceptance

- 15.1** If any goods that are found to be defective or otherwise not in conformance with the requirements of the Purchase Order, B&B may, in addition to its other rights and remedies, reject such goods and require their prompt correction or their replacements at the Supplier's expense, including shipping and packaging charges. Alternatively, B&B may repair or replace such non-conforming goods at the Supplier's expense.
- 15.2** Some shipment or delivery dates on B&B's Purchase Order may extend beyond the current engineering level protection time frame. Fabricating in advance of Supplier's proposed lead time or "agreed upon lead time of manufacture" (excludes hardware, forgings, or raw material which routinely exceed) before the stated due date is at the Supplier's risk.

16.0 Non-Conforming Material

- 16.1** When a nonconforming product is discovered at the Supplier's facility, and it requires an engineering review/disposition, the Supplier shall submit a Nonconforming Material report to the B&B Purchasing agent and Quality Assurance.
- 16.2** When nonconforming product is reported to B&B Supply Chain, by the customer and/or B&B Quality, and it is determined to be the responsibility of the Supplier, immediate containment action and evaluation of all such Product at the Supplier's facility will take place. The Supplier will notify B&B of any additional product impacted, by the discovery, and evaluate the condition for possible NOE category. A copy of the B&B CAR Corrective Action Report will be provided to the Supplier as notification of the discovered discrepancy. If requested, the Supplier shall provide a Root Cause and a Corrective Action statement, within the appropriate sections of the CAR, and return it to the B&B Purchasing agent.
- 16.3** The Supplier will receive a copy of the CAR with the disposition, from the B&B Purchasing agent or B&B Supplier Quality, upon the completion of the engineering review/disposition process. For deliverable product associated to an NCR the part marking will include the NCR number (e.g. NC#123456), per Section 12 of the SQRM.

17.0 Disposition Authority

- 17.1** Supplier disposition authority for non-conforming product is limited to Rework (if compliance of OME has been met), Return-to-Vendor, and Scrap.
- 17.2** A Non-conformance document shall be submitted to B&B, by the Supplier, for B&B/Customer furnished material; regardless of the supplier's MRB status. If material is procured solely by the Supplier, they retain the authority to scrap at their discretion.
- 17.3** Rework is defined as a process performed entirely within the confines of the drawing and referenced specifications that will result in characteristic(s) that conforms completely to the drawings, specifications, and contract requirements.
- 17.4** The Supplier shall notify the Purchasing agent in writing immediately if the disposition actions taken have an effect on the ability to deliver product as specified or agreed upon.

18.0 Supplier Corrective Action

- 18.1** If the Supplier is issued a Supplier Corrective Action Request (SCAR), the Supplier's response shall be submitted to B&B Supplier Quality Assurance (SQA), and the Purchasing agent, within the date specified in the SCAR notification. Requests for an extension may be submitted to SQA for consideration.
- 18.2** The supplier must provide the following:
- Status of SCAR at the time of request

- Circumstance to justify the extension
- Proposed completion date(s), for the remaining section(s) of the SCAR

18.3 Failure of a Supplier to respond may result in a change in approval status. At a minimum, a meeting will be held with the supplier to review the issues.

19.0 Notice of Escapement

19.1 The Supplier shall notify the Purchasing agent, within 24 hours of discovery of any nonconforming product shipped (escapement) and/or any changes in product or process definition.

19.2 In the event of an escapement, the Supplier shall send a “Notification of Escapement” in writing to the Purchasing agent and shall contain the following as a minimum:

- Supplier Name
- A clear and concise description of the Non-Conformance
- A list of all affected part numbers
- Part number and traceability number which identifies the Nonconforming parts, if applicable
- All affected Purchasing agent’s purchase order numbers
- Packing sheet numbers
- Quantities and dates shipped
- Information regarding quarantine of all related work-in- process and/or finished goods.
- Any other information that is required

20.0 Certificate of Conformance

20.1 All shipments require a C-of-C (Certificate of Conformance) and or a COA (Certificate of Analysis) The Supplier may use their Certificate of Conformance if it contains the following minimum requirements. Note: The Supplier may incorporate the CofC requirements into other shipping documentation, such as a Packing Sheet, at their discretion.

- Supplier’s name and address
- Part number
- Purchase Order number and line-item number
- Quantity
- The number used by the Supplier to provide traceability of their quality records (e.g., Serial Number, Lot Number, Control Number, Work Order/Traveler Number)
- A certification statement that meets the intent of the following:
“(Supplier) certifies that these parts were purchased, and/or manufactured, and/or processed, and/or assembled, and inspected and meets all applicable OEM customer and Purchasing agent requirements.” Including specifications preformed to and met requirements.
- If applicable, log the B&B NCR number on the C of C and include a copy of the NCR with the delivery.
- An authorized Quality Assurance stamp (where applicable), signature and date.
- Full certification trail shall be included back to the original processor and/or manufacturer of material. CoC’s must reference traceability number (e.g., raw material test report number, compliance report number, CoC) as assigned by the original manufacture.

21.0 First Article Inspection

21.1 A full First Article Inspection Report (FAIR) is required for all products produced for B&B on their initial shipment and shall be compliant with the latest revision of AS9102, the “B&B Airparts INC. AS9102 FAI Report. The FAI submittals are to be complete, with all material and process certifications, test reports, and supporting documentation attached. Unless otherwise mandated by B&B’s customer, at a minimum, the Form will be completed in its entirety, along with all other supporting documentation. The supporting documentation will include, but is not limited to:

- “Bubbled” B/P, Engineering Notes, etc.
- Material Certifications
- Process Certifications
- Special Manufacturing Instructions
- CMM Reports
- Supplier Code
- (Job Number)
- “B&B” Customer Location
- PO Number PO Line Item
- All supporting documentation shall be traceable to the FAI package. This shall be accomplished by including reference to the part number, and Manufacturing Process Reference number and/or the FAI Report number within each document.

22.0 Source Inspection

- 22.1** B&B retains the right to invoke source inspection of product, processes and goods at the Supplier or sub-tier Supplier’s facility. Source Inspection requirements may be a result of the Supplier’s quality performance or other mandates, at B&B’s SQA discretion. When invoked: The requirement for Source Inspection will be noted on the B&B Purchase Order, or a notification to the Supplier will be provided in writing by B&B SQA. The cost of such services may become the responsibility of the Supplier.
- 22.2** Upon completion of Source Inspection, the B&B Source Representative will provide a completed Source Inspection Checklist to the Supplier for inclusion with the shipping documents.
- 22.3** B&B’s verification of goods, by source inspection, shall not be deemed to constitute acceptance of any goods which do not conform to the specifications. Source Inspection does not waive any of the Purchasing agent’s rights or remedies arising by virtue of such defects or non-conformances being discovered at a later time.
- 22.4** Source Inspection may be waived or rescinded at the discretion of B&B SQA.

23.0 Packaging and Delivery Documentation

- 23.1** When a packaging specification or direction is not provided by the engineering drawings, specifications or Purchase Order, the packaging shall be in accordance with:
- Commercial: ASTM-D3951, Standard Practice for Commercial Packaging
 - Military: MIL-STD-2073-1D, Standard Practice for Military Packaging
- 23.2** Supplier shall provide a Packing Sheet for each separate shipment that includes as a minimum:
- Supplier’s name and address
 - Purchase Order number and line-item number
 - Part number and quantity
 - Engineering drawings/models and revision levels, engineering drawing changes (ADCN, EO, etc.), as provided on the Purchase Order
- 23.3** Supplier shall provide a Certificate of Conformance (see Section 19.0 for Certificate of Conformance content requirements).

24.0 Records

- 24.1** Quality records, material, and process certifications that are created and/or retained by the Supplier must be complete, legible and identifiable to the corresponding product. These records shall be retained for a minimum period of 10 years or as specified by Customer retention requirements.
- 24.2** Quality records, material and process certifications will be maintained in English, unless written authorization from B&B and/or B&B's customer is provided.
- 24.3** Prior to disposal of quality records, B&B will be notified. B&B may request shipment of the records, at no cost to B&B.
- 24.4** Certificate or record of calibration performed will be maintained by the Calibration Focal. Records will include the following at a minimum:
- Equipment Type
 - Identification number/Control number
 - Manufacturer
 - Calibration date
 - Due date
 - Interval
 - Range of measurement
 - Standards used/Instructions used.
 - Acceptance criteria/Tolerance
 - Test measurement results
 - Record retention 10 years unless otherwise directed.

25.0 Customer & Program Specific Requirements

- 25.1** In addition to the requirements noted in the B&B SQRM, there are Customer and Program related requirements that apply based on the type of product being provided by the Supplier and the Purchasing agent's end item Customer.
- 25.2** The Supplier is required to implement the Customer and Program specific requirements as applicable.

NOTE: Where conflict exists between these requirements and the SQRM/PO requirements, contact B&B SQA for guidance. In all cases where end user customer requirements dictate interface activity with the customer, these activities will be administered through B&B Airparts INC. (e.g., digital data submittal, non-conforming material submittal, corrective action submittal, etc.)

OEM Requirements

Boeing

X31764 Quality Purchasing Data Requirements (BCA)

D6-82479 Boeing Quality Management System Requirements for Suppliers and the requirements listed below, as applicable:

- a. D6-51991 Quality Assurance Standard for Digital Product Definition at Boeing
- b. Special processes must be performed by Boeing D1-4426 approved processors. See D1-4426 Appendix D for Purchase Order flow down requirements.
- c. D950-11059-1 IDS Seller Special Tooling Requirements for any Boeing IDS Tool
- d. DPAS Rating: Boeing BDS general clause H200
- e. D33200 Boeing Supplier Tooling Document

Bombardier Aircraft

QD4.6-40 Quality Requirements for Suppliers.

Gulfstream

SQAR-9100 Supplier Quality Assurance Requirements

Honda Aircraft Company

HACI P 10-1 Supplier Requirements Manual.

Israeli Aircraft

CAG-9000 Quality Requirements.

Textron

CQRS Quality Requirements

Sikorsky Aircraft

SSQR-01 Aerospace Supplier Quality Requirements.

- Supplier must submit an Inspection Checklist (ICL) for approval, in accordance with Sikorsky SSQR-01 Main Text, prior to production. Validation points in XYZ column format are required for all parts using a digital inspection method: CMM, Inspection arm, scanner, laser tracker, etc.
- Suppliers are required to provide the specification and specification revision level on all certifications, and to ensure that all specification revision levels are compliant to the Sikorsky Standard Part Index and the Material Processing and Specifications (SS7777 and SS9999) index revision levels that are provided by B&B Airparts INC

REVISIONS

DATE	REVISION	CHANGES	AUTHOR
05/16/2019	A	Created.	M Terrell
01/02/2023	B	Updated to include section 8.2 to include conflict mineral requirements.	J Goold
08/15/2023	C	Updated Approval Name Included Section 4 Policy Against Human Trafficking.	J Goold
01/10/2024	D	Updated Table 1 to include NADCAP requirement for raw materials testing.	J Goold